





This catalogue was handed over to you by:

Art.-No. <u>96</u>–359 • Protective charge 0,50 4

BRILL GLORIA Haus- und Gartengeräte GmbH Sales and Marketing headquarters: D-58456 Witten Därmannsbusch 7 Phone: +49 23 02 / 7 00-0 Fax: +49 23 02 / 7 00-46 www.brill.de

D-89231 Neu-Ulm Edisonallee 3 Phone: +49 731/1 40 60 47 Fax: +49 731/1 40 60 43 info@brillgloria-garten.com







Preislisten gratis und franko.



BRILL stands for quality and tradition

Already since the establishment of the company in the year 1873 the quality and efficiency of development and production have been the primary focus of BRILL. We started under modest working conditions in an on-site foundry in Wuppertal-Barmen. Today we have modern manufacturing plants as well as a highly developed logistics center at the company's site in Witten-Herbede.

For years our products and services and their reliability have been documented and confirmed with various safety test marks and awards by independent internationally recognized institutions.



	ZERTIFIKAT
	EQ
	N. W
	Contraction of the local
	Mills Surrengenter South Strengendersch 7 Readland 11 41 19916 Miller
QUALITÄTSM	ANAGEMENTSYSTE
	Antoinities, Probables, Renters
	carries in the second in Second
	150 9001
	and approximate
	Understand Registering Registe
	cellin tillo
	to the based of the base of the base of the base of the based of the b
	11

www.brill.de

Contents	Ideas for the Garden	
BRILL evolution – the (R)evolution from BRILL The BRILL evolution electric and petrol mowers	Page 4	evolution
Mowing lawns without side-effects The multi-function machine that can do everything	Page 8	brillencio
Real power packs – BRILL Steelline Petrol mowers with rear-wheel drive	Page 16	Steelline
Hattrick – lawn care with fresh air cure The multifunction machine that can do everything	Page 18	Hattrick mowers
Keeps you and your lawn fit BRILL hand cylinder mowers	Page 20	24 V battery tools Lawn scarifiers Cylinder mowers Hattrick mowers
Lawn scarifiers – no problem with thatch and moss BRILL aerators	Page 24	Lawn scarifiers
5 x power which lasts BRILL power battery range 24 volts	Page 28	24 V battery tools
Handy garden tools BRILL Gardenboy BRILL lawn edge trimmers BRILL hedge trimmers	Page 31	Handy tools
Compost with comfort BRILL shredders	Page 36	Shredders
Fun to drive in the garden BRILL lawn tractors Crossover	Page 38	Tractors
Further information www.brill.de	Page 42	Internet
All the spares you need Aftersales parts at a glance	Page 43	cessories

BRILL evolution – the (R)evolution from BRILL

This is what it

Superior technology, convenient handling, dynamic design

BRILL evolution sets new standards in lawn mower technology. Innovative technology and functional

design were the decisive factors in the development of

the evolution series. The revolutionary space-saving

concept is optimally tailored to today's requirements. When positioned upright, the evolution finds room in the smallest of spaces. The patented dual channel air

The evolution petrol mower is equipped with a special

tank system, so that it can also be stored upright in a

filled state. Particularly pleasing is the low weight of

the petrol mowers. They only weigh slightly more than

comparable electrical appliances. In this way mowing

stands for!

system guarantees a perfect cut.

OUTION

lawns becomes fun!



Steelline

Hattrick


Cylinde

24 V battery tools

Always at the right height...

The ideal position can always be attained thanks to the adjustable handle bars. The grass box which opens at the back can also be emptied without a change of grip.

The upright position... A functional design makes the BRILL evolution a real spacesaver. It is easy to carry or fit into even the smallest car boot. It shrinks in size if not in use. When positioned upright, it



Simply practical

The grass cuttings in the grass box can be easily removed in an upright position, without having to change your grip, so that your back is treated with care.

Now with mulching function

BRILL

ch-Svs

The closed grass box system protects people with allergies in the best possible way from dust and pollen.

The DuoAir Management

A dual channel air system with

effective cutting technology

even with the closest cutting

height.



The control centre... Everything comes together cleanly and clearly – at the comfort panel with the useful cable carrier. Mowing with ease at long last!

More cleaner air for people

A closed grass box effectively

can breathe a new sigh of relief.

with allergies

collects grass and sucks the lawn holds dust and pollen. This

cuttings in an air flow, resulting means that dirt is no longer

in an ideal cutting performance swirled up and allergy sufferers



Always close... The BRILL evolution can always be perfectly adapted to the right lawn height using the central, adjustable 7 postion height settings. The deepest cutting height of 16 mm makes mowing lawns

Handy tools of golf course quality possible.



Well filled...

The grass box level indicator of the BRILL evolution is a new practical thing. It can be easily read and you also know when it is time to empty the grass box.

5



PDILL avalution - the (P) avalution from PDILL

								Ideas for the Gard
		PROCUMIE DESIA-RE 2005					_	
	Product Average Ave		The Regretory The The Regretory The The Regretory The The Regretory The Regre	ardin 5 paysage 1	B E Contraction			
		600				Co o		
	Electric lawnmowers BRILL evolution 33 EF	BRILL Evolution 36 EF	BRILL Evolution 41 EF	BRILL evolution 33 EM	BRILL evolution 36 EM	BRILL evolution 41 EM	Petrol lawnmowers BRILL evolution 42 BM	BRILL evolution 42 BFR
Art no 🛛 🕅	61050	61051	61052	61040	61041	61042	61053	61054
EAN Code	40 09093 000771	40 09093 000788	40 09093 000795	40 09093 000702	40 09093 000719	40 09093 000726	40 09093 001440	40 09093 001457
Cutting width	m> 33 cm	36 cm	41 cm	33 cm	36 cm	41 cm	42 cm	42 cm
Engine 📮	Electric 230 V	Electric 230 V	Electric 230 V	Electric 230 V	Electric 230 V	Electric 230 V	Briggs & Stratton	Briggs & Stratton
Power	1,000 W	1,300 W	1,600 W	1,000 W	1,200 W	1,500 W	2.6 kW	2.9 kW
Housing	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	High impact resistant ABS-plastic	High impact resistant ABS-plastic
ting technology	Single blade	Single blade	Single blade	Single component blade	Single component blade	Single component blade	Single component blade	Single component blade
bar adjustment	•	•	•	•	•	•	•	•
Wheels	Plain bearing	Ball bearing	Ball bearing	Plain bearing	Plain bearing	Ball bearing	Ball bearing	Ball bearing
g height adjust- ent with display rass box volume	Central, 7 position height settings from 16 – 70 mm 28 l	Central, 7 position height settings from 16 – 70 mm 36 l	Central, 7 position height settings from 16 – 70 mm 50 l	Central, 7 position height set- tings, from 16 – 70 mm 28 l	Central, 7 position height settings, from 16 – 70 mm 36 l	Central, 7 position height settings, from 16 – 70 mm 50 l	Central, 7 position height settings, from 16 – 70 mm 50 l	Central, 7 position height settings, from 16 – 70 mm 50 l
Safety	Comfort panel, engine	Comfort panel, engine and	Comfort panel, engine and	Cable release, engine and	Cable release, engine and blade stop	Flick-Flack cable guide, engine and	Engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.
Wheel drive	and blade stop under 3 sec.	blade stop under 3 sec.	blade stop under 3 sec.	blade stop under 3 sec.	under 3 sec.	blade stop under 3 sec.	0	•
	•	•	•	•	•	•		
/ing cable guide	88 dB(A)	89 dB(A)	92 dB(A)	88 dB(A)	89 dB(A)	92 dB(A)	95 dB(A)	95 dB(A)
ving cable guide Noise level	W.			16 kg	19 kg	21 kg	24 kg	25.5 kg
	17 kg	19 kg	22 kg	TO NB				
/	400 sq. m	19 kg 500 sq. m	22 kg 700 sq. m	400 sq. m	- 500 sq. m	700 sq. m	800 sq. m	900 sq. m

evolution mulching function

For the 41 and 42 series models a mulch box is available as a special accessory. This is inserted instead of the grass box and distributes the mown grass directly on to the lawn. In this way you fertilize your lawn and protect it from drying out.



Practical cleaning...

Thanks to its upright position, it can be cleaned after use without difficulty.

There is even a storage bracket available as an accessory, making it possible to hang the evolution on a wall without difficulty.

Accessories:

 Art no
 61604

 EAN Code
 40 09093 001044
 61605 40 09093 001051 **61606** 40 09093 001068 **61608** 40 09093 001525 Cutting width 33 cm 36 cm 41 cm 42 cm RILL bracket for eve Art no 61630 Art no 78933 EAN code 40 09093 001075 EAN Code 40 09093 001952 Cutting width 41 cm
 Art no
 78934

 EAN Code
 40 09093 001945

 Cutting width
 42 cm

Tractors

Internet

Accessories

brillencio – mowing lawns without side-effects



Brilliant Features

The **brillencio** from BRILL has literally been created for a relaxed lawn mowing. Its design took on fundamental requirements such as a noise prevention, comfortable handling and as far as possible, protection of those suffering from allergies from dust and pollen. That is also what has emerged: friendly to your ears, just right for people suffering from allergies and kind to your back.

Friendly to your ears as a matter of principle

The silencer system integrated in the housing "swallows" the noise volume and at the same time deflects the exhaust gases from the engine directly towards the ground.

Airspace - just right for people suffering from allergies

The closed all-round retaining system prevents the ejection of grass, dust particles and pollen. People suffering from allergies can breathe a sigh of relief.

Technology which is kind to your back

The closed multi-function box covering the gass box at the rear provides noise insulation and optimises the air flow. The folding mechanism of the handle bars enables the grass box to be removed whilst standing in an upright position.

A central and infinitely variable height adjustment of 30-80 cm provides ideal mowing positions.

Magnesium housing ultra light and unbreakable The housing of all 43 and 51 models is of ultra light, high impact-resistant magnesium -High-Tech is used in your garden!

brillencio

Housing with silencer Low-noise blade Removal of the grass box in a manner which is kind to your back Powerful long grass mower



The closed silencer concept:

Emissions, dust particles and pollen are almost completely encapsulated in the multifunction box. The low-noise blade and the silencer which is integrated in the housing reduce the noise perception by up to 50%.



The aerodynamically optimised blade guarantees a clean cut.

Upon removing the grass box, the **brillencio** silent-mower

becomes a powerful long grass

The height adjustment is central and can be continuously adju-sted from 30 to 80 mm.

BRILL

Ideas for the Garden



nagnesium.

The complete housing of all brillencio 43 and 51 models is

made of the ultra light and highly impact-resistant material,



O Not standard • Standard The right to make technical amendments reserved





		brillencio 41 B	brillencio 41 BR	brillencio 48 BRX	brillencio 48 BR (e)-comfort
Art no	$\overline{\mathbb{A}}$	62041	62043	62056	62029
EAN Code		40 09093 000474	40 09093 000498	40 09093 001471	40 09093 000689
Cutting width	<cm></cm>	41 cm	41 cm	48 cm	48 cm
Engine	5	Briggs & Stratton, 158 cc	Briggs & Stratton, 158 cc	Briggs & Stratton, 190 cc	Briggs & Stratton, 190 cc
Max power (kW/hp) (at 3,600 rpm)	kW (PS)	2.9 kW (4.0 HP)	2.9 kW (4.0 HP)	4.1 kW (5.5 HP)	4.1 kW (5.5 HP)
Housing	5	High impact resistant PA/ABS-plastic	High impact resistant PA/ABS-plastic	High impact resistant PA/ABS plastic	High impact resistant PA/ABS plastic
Cutting technology	ر می	Low noise single component blade			
Wheels		With double ball bearing mounting			
Cutting height adjustment with display		Central, infinitely variable from 30 – 80 mm			
Grass box volume	****	50	50	65 l	65 l
Safety	!	Engine and blade stop under 3 sec.			
Wheel drive	۰	•	1-speed	1-speed •	1-speed
Electric start	$^{\prime}$	0	0	o	•
Recommended for areas up to	m²	700 sq. m	800 sq. m	1,400 sq. m	1,500 sq. m
Noise level	-þ((ø	94 dB(A)	94 dB(A)	94 dB(A)	94 dB(A)
Weight	Ē.	31 kg	34.5 kg	39,5 kg	43.5 kg
Packed fully assembled	$\overline{\mathbb{O}}$	•	•	•	•



Easy start with (e)-comfort The brillencio starts with no problems with

this strong 12 Volt power pack whatever the weather. Just turn the key and off it goes. The battery can simply be taken out of the holder and can be charged using an external charger.



State-of-the-art materials

High impact resistance and extremly robust materials characterise the brillencio. The housing of the smaller models is made of high-quality PA/ABS plastic.

Ready to start quickly – rapidly stored

Every **brillencio** is ready for work in an instant folded away again and stored so that it saves space. The compact design, the refined folding mechanism and the two integrated handles make it easy.

Steelline

ers

evolution

Cylinder



Shredders

Tractors

Internet

Accessories



evolution

Steelline

Hattrick mowers

ers

Cylinder

scarifiers

Lawn

24 V battery tools

Handy tools



O Not standard O Standard The right to make technical amendments reserved

Mg

Ultra-light – extremely stable R

What has proved its worth in the aerospace and aeroplane technology is used in the **brillencio**. The housings made of magnesium are ultra-light, high impact resistant and robust.

Runs very smoothly Perfect Balance

The long wheelbase means that the **brillencio** glides over the lawn pass after pass, stably and on track – attractive, clean cutting guaranteed!

Convenient Vario-drive

Several models save the gardener from having to push the mower because they have driven wheels. The Vario-drive with infinitely variable adjustable speed enables the **brillencio** also to handle large areas and lawn areas on slopes without difficulty.

Push or pull – the brillencio lawn roller





The basis of an attractive lawn is the soil preparation when sowing the grass. The hand operated lawn roller presses the lawn seed against the soil ensuring good germination and equal growth.

Hang on: after the lawn has been mown for the first time, the lawn roller can be directly attached onto the **brillencio**, thereby achieving an additional compacting of the soil.

Accessories:		
Duo-cutting blade for brillencio	Art no	61601
	EAN Code	40 09093 616019
	Cutting width	41 cm
	Ū	
	Art no	61600
	EAN Code	40 09093 616002
	Cutting width	43 cm
	-	
	Art no	61602
	EAN Code	40 09093 616026
	Cutting width	48 cm
	Art no	61603
	EAN Code	
	Cutting width	51 cm
Charger for brillencio	Art no	
	EAN Code	
	Charging time	
	Input voltage	230 V
Battery for electric start	Art no	
	EAN Code	
	Rating	12 V, maintenance-fre

Accessories

		,
brillencio lawn roller 430 B	RW* Art no	61631
	EAN Code	40 09093 00182
	Working width	50 cm
	Roller diameter	22 cm
	* Frame and brillencio trailer of the lawn roller.	coupling included in delivery

Internet



brillencio electro



The brillencio electro is ideal for small to medium sized gardens of individual houses. However, considerably larger areas can also be cut without difficulty with the powerful 1,500 W motor.

The innovative cutting geometry of the mowing mechanism also handles tall and damp grass extremely well.

Although it has a cutting width of 41 cm the brillencio electro enables to proceed fast and it is very easy to handle and manoeuvre.



The low weight of the plastic housing contributes to this. The wide handles mean that the mower is easy to move around the garden.



The functional, two-handed safety switch enables the **brillencio** 41 E to be switched on easily. The advantages at a glance The greatest benefit is provided by the new BRILL design for the grass box, which protects the user's back.

The multi-function box, which acts as a silencer, is opened by a well-designed hinge mechanism, releasing the grass box and enabling the user to remove it whilst in a standing position.

The **brillencio** system, used throughout the range, retains dust, grass and pollen reliably. A clean cut is guaranteed by the long wheelbase, the excellent smooth-running of the lightweight wheels and cleverly designed balancing of the weight.

With its infinitely variable height adjustment from 30 to 80 mm, the brillencio electro 41 E can handle any situation.





O Not standard • Standard The right to make technical amendments reserved

Accessory:



Art no 61604 EAN Code 40 09093 001044 Cutting width 32 cm



Einstiegsklasse
Heimwerker 1,3
Preis/Leistung: sehr gut
F 1.18

BRILL Basic 32 ED

Cutting height adjustmen

Art no		64100
EAN Code		40 09093 641004
Cutting width	< cm >	32 cm
Engine	5	Electric 230 V
Power	kW (PS)	900 W
Housing		Robust PP plastic
Cutting technology	KOM	2 triangular cutter blades sharpened on both sides
Handle bar adjustment	(\downarrow)	0
Wheels	\bigcirc	Plain bearing
height adjustment with display		Central, infinitely variable between 25 and 55 mm
Grass box volume	3336	321
Safety	!	Engine and blade stop under 3 sec.
Moving cable guide	T	•
Weight	Ť.	13.7 kg
Recommended for areas up to	m²	300 sq. m
Packed fully assembled	$\langle \rangle$	0

ntei



new

Steelline 52 XL R 6.0

40 09093 001785

Briggs & Stratton

4,4 kW (6,0 HP)

Series 675 Ready Start

central, 7 position height

settings (30 – 80 mm)

63308

51 cm

steel sheet

Ball bearing

1-single-speed,

.

1 blade

35 km/h



No blade of grass is spared

Robust, sheet steel housing, powerful engines and large cutting widths characterize the new Steelline petrol mowers. Fitted with extra-large rear wheels, the petrol mowers are extremely manoeuvrable and demonstrate their great mobility even when the ground is uneven. The grass is cut perfectly even when it is long.

The mowers are fitted with powerful Briggs & Stratton or Honda engines and some of them have a single speed wheel drive giving 3.5 km/h. The 52 series model is executed as standard with discharging of the grass to the side and the mulching function.

be removed easily.




Easily adjustable The integrated spring system enables the cutting height to be conveniently set centrally to seven different heights from 30 to 80 millimetres.



Easy to manoeuvre The grass box made of robust The extra large wheels with plastic holds 65 litres and can single-speed wheel drive ensure more grip and simple handling.



Easily visible The practical level indicator shows when the grass box has to be emptied.



new

Steelline 42 XL 6.0

40 09093 175400

Briggs & Stratton

4,4 kW (6,0 HP)

Series 675 Ready Start

central, 7 position height

0

ο

settings (30 – 70 mm)

63311

42 cm

steel sheet

Plain bearing

1 blade

new

Steelline 42 XL 4.0

40 09093 173680

Briggs & Stratton

central, 7 position height settings (30 – 70 mm)

0

ο

.

0

2,9 kW (4,0 HP)

Ouattro 40

steel sheet

Plain bearing

1 blade

65 I

28 kg

800 sq. m

42 cm

63310

Art no

Engine

kW

EAN code

Max. power

Cutting width

Cutting height

Wheels Wheel drive

Grass box

Weight

Housing made of

Lateral discharge

Grass box level indicator

Recommended for areas up

Mulching function

new

Steelline 46 XL 6.0

40 09093 175417

Briggs & Stratton

4,4 kW (6,0 HP)

Series 675 Ready Start

central, 7 position height

0

ο

settings (30 – 80 mm)

63312

46 cm

steel sheet

Ball bearing

1 blade

nev

steelline 46 XL R 6.0

40 09093 001761

Briggs & Stratton

4,4 kW (6,0 HP)

Series 675 Ready Start

central, 7 position height

settings (30 – 80 mm)

63306

46 cm

steel sheet

Ball bearing

1-single-speed,

ο

1 blade

35 km/h

Steelline 46 XL R OHC

40 09093 001778

Honda GCV135

3.4 kW (4.5 HP)

central, 7 position height

settings (30 – 80 mm)

63307

46 cm

steel sheet

Ball bearing

35 km/h

1-single-speed,

0

1 blade



Steelli

Handy tools

Internet



Hattrick[®]

The all-rounder

Aerating, mowing, collecting – the multifunction machine that can do everything

Spring-clean for the lawn! The Hattrick aerates, mows and collects in one operation. The aerator roller on the front thoroughly removes thatch and moss from the lawn. It is equipped with robust, durable steel tines, which aerate the lawn as they rotate. The aerator roller is activated via the connection button.

The dual channel air system ensures an optimum mowing and collection performance under all conditions, so that the removed thatch and the grass clippings land safely in the large grass catcher.

The comfort panel with ergonomic handle guide and practical cable guide is clearly arranged and particularly pleasant to operate.

Mulching with the BRILL MulchCut

When mulching the grass cuttings are finely cut and returned directly to the lawn and serve as a source of moisture and natural fertiliser. The Mulch Set is part of the special equipment of the Hattrick. It is simply hooked into the collection chute in place of the grass box.





	J~	
	(Jn	
BR		

Hattrick r

ers

Cylinder

Handy tools 24 V battery tools Lawn scarifiers

Shredders

Tractors

Intei

		BRILL Hattrick 36 EH	BRILL Hattrick 40 BHR
Art no		62103	61014
EAN Code		40 09093 001426	40 09093 001433
Cutting width	< cm >	36 cm	40 cm
Engine	8	Electric – 230 V	Briggs & Stratton, 190 cc
Output/power	kW (PS)	1,500 W	3.7 kW (5.0 HP) at 3,600 rpm
erator can be switched on	17	•	•
Mulch-box	-	Available as accessory	Available as accessory
Housing	5	Robust PP plastic	High impact resistant PA/ABS plastic
Cutting technology	الحمر	Single component blade	2 triangular blades sharpened on both sides
Handle bar adjustment	\square	•	•
Wheels		Plain bearing	With double ball bearing mounting
ng height adjustment with indicator		Central, infinitely variable from 30 – 70 mm	Central, infinitely variable from 30 – 80 mm
Fabric grass catcher		38	46 I
Safety	!	Comfort panel, movable cable guide, engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.
Wheel drive	٥	0	•
Weight	Ť.	21 kg	35 kg
Noise level	-þ(ø	88 dB(A)	95 dB(A)
ommended for areas up to	m²	600 sq. m	1,000 sq. m
Packed fully assembled		•	•

Cutting

Recor





Art no 7835





EAN Code 40 09093 896206 Mulch-box 40 cm

O Not standard • Standard The right to make technical amendments reserved



BRILL Cylinder mowers – keeps you and your lawn fit



BRILL Cylinder Mower The razor-sharp fitness programme

RAZOROUT

The classic lawn mower now in a new design. Worthy of note is the modern shape of the robust and foldable handle bars in silver and grey with ergonomic foam rubber handles.

The large wheels with their special profile also ensure convenient working as does too the attractive "rear spoiler" which ejects the grass cuttings in a controlled manner. Mowing with the cylinder mower means precision cutting of each single blade of grass. Precision sharpened to a hundredth of a millimetre, blade cylinder and bottom blade of special hardened steel leave a lawn cut as if with scissors whereby the contactfree cutting technique a BRILL invention – ensures quietness. Mowing is less sporty but easier with the batterypowered BRILL RazorCut. This is suitable for average sized lawns of up to 300 m².

21

Handy tools 24 V battery tools

BRILL

Ideas for the Garden

RAZURGUT

BRILL Cylinder mowers – keeps you and your lawn fit



evolution

brille

Steelline

Hattrick



Cylinder mower

BRILL Classic 30

40 09093 001822

blade cylinder,

0

ο

.

.

.

classic ladder frame design

up to 100 sq. m

5.4 kg

available as accessory

6 settings from 17 – 43 mm

78357

30 cm

5 blades

< cm >

0

Art no

EAN Code Engine

Cutting width

Cutting technology

Contact-free cutting technology

Cylinder & bottom blade: Special

steel and precision-sharpened

Cutting height adjustment

Recommended for areas

Blade spindle mounted

on ball bearings

Cover to protect

Frame

Drive

Safety

Grass catcher

Noise level

Weight

flowers and shrubs



BRILL RazorCut Premium 38

0

78371

38 cm

5 blades

40 09093 001808

blade cylinder,

rubber handle

up to 250 sq. m

7.4 kg

available as accessory

 with steel frame

 Cutting width

 30 and 33 cm

 Weight

 1.3 kg

maintenance-

free because of anti-coiling device

ergonomically shaped with foam

infinitely variable from 14 - 45 mm

with monitoring scale on both sides

.

BRILL RazorCut Premium 33

ο

78366

33 cm

5 blades

40 09093 001815

blade cylinder,

rubber handle

up to 200 sq. m

available as accessory

both sides

maintenance-

free because of anti-coiling device

.

ergonomically shaped with foam

infinitely variable from 14 - 45

mm with monitoring scale on



Battery-powered cylinder mower

blade cylinder with electric drive,

free because of anti-coiling device

.

infinitely variable from 20 - 45 mm

with monitoring scale on both sides

ergonomically shaped with foam

BRILL RazorCut Accu 38

40 09093 001792

maintenance-

rubber handle

safety switch

86 dB(A)

11 kg

power battery 24 V

approx. 300 sq. m

with fully charged battery

available as accessory

65070

24 V

38 cm

5 blades

RAZURGUT



The cutting height adjustment of the RazoCut is infinitely variable from 14 to 45 millimetres or from 20 to 45 millimetres respectively.

1000	Š
adjustment of initely variable netres or from	Lawn scarifiers
es respectively.	ry tools





Tractors Shr

Internet

Accessories

Heat-treated cylinder blades ensure precise cut.

It could not be simpler:

withdrawn for changing

in a single movement.

The battery can be



Accessory: Cylinder mower grass catcher 38 Art no Gylinder mower grass catcher 38 Art no Material Woven nylon, reinforced with steel frame S8 cm LS kg Cutting width 38 cm 1.5 kg Cylinder mower grass catcher 30/33 Art no EAN 40 09093 001969 Material Woven nylon, reinforced Material Woven nylon, reinforced

6.9 kg

O Not standard • Standard The right to make technical amendments reserved

22

BRILL Lawn scarifiers – no problem with thatch and moss





Your lawn breathes a sigh of relief!

The scarifying of the lawn is an important requirement for the obtaining of beautiful thick green grass. Only a powerful lawn scarifier effectively removes thatch, moss, cuttings and dead vegetation. Nutrients, air and water are otherwise unable to penetrate deep down to the roots of the grass. You gain the best results with the electric lawn scarifiers from BRILL.

With working widths of 30, 32, 36 and 38 cm and powerful electric motors from 1100 to 1500 watts, the new BRILL electric scarifier is even able to remove thatch and moss from larger areas.



The new BRILL lawn scarifier

model with a petrol engine.

With its wide working width

of 40 cm, it guarantees effi-

cient scarifying.

is also available as a powerful

And your lawn takes a deep breath...



The BRILL lawn scarifier – clever technology:

- a compact design with functions easy to use
 central transport and
- parking position which can be operated from above infinitely variable height adjustment for the blade
- roller • optimised discharge chute • height-adjustable bars permitting ergonomically effective working • carrying handles for easy transportation • space-saving



A beautiful, thick lawn needs air



Scarifying is best carried out in the spring at the start of the period of growth and once again in the late autumn. The lawn aerator on the other hand can be used more often, because the interference is not so severe. Comparable to a vigorous raking, the rotating steel tines of the aerator roller scour through the space between the individual lawn plants. This means that excessive formation of thatch is prevented and the lawn remains healthy and vigorous over the entire year.



Scarifying and aerating: two in one.



Hattrick n

24 V battery tools

evolution

brillend

Steelline

Handy tools 24 V battery tools Lawn scarifiers Cylinder mowers Hattrick mowers

Shredders

Tractors

Internet

Acces sorie

		BRILL 28 VE/RL	BRILL 30 VE	BRILL 32 VE	RILL 36 VE	BRILL 38 VE	BRILL 40 VB
	230 RL						
Art no 🕅	62112	62066	62063	62064	62060	62061	64014
EAN Code	40 09093 001181	40 09093 001488	40 09093 000733	40 09093 000740	40 09093 000566	40 09093 000573	40 09093 001587
Working width <cm< th=""><th>> 40 cm</th><th>28 cm</th><th>30 cm</th><th>32 cm</th><th>36 cm</th><th>38 cm</th><th>40 cm</th></cm<>	> 40 cm	28 cm	30 cm	32 cm	36 cm	38 cm	40 cm
Engine	230 V/180 W	230 V/1,000 W	230 V/1,100 W	230 V/1,200 W	230 V/1,200 W	230 V/1,500 W	Briggs & Stratton 2.6 kW (3.5 HP)
Housing	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic
Height adjustment of the blade bar	2 aerator rollers with special spring steel tines	Central, infinitely variable up to 15 mm	Central, infinitely variable up to 15 mm	Central, infinitely variable up to 15 mm	Central, infinitely variable up to 20 mm	Central, infinitely variable up to 20 mm	Central, infinitely variable up to 20 mm
Number of blades	x	6	14	14	16	17	17
Centrally operational transport position	÷	•	•	•	•	•	•
Handle bar adjustment		0	0	0	•	•	•
Cable guide		•	•	•	•	•	
Wheels 🔵)	Plain bearing	Plain bearing	Plain bearing	Plain bearing	Ball bearing	Ball bearing
Grass catcher		45 I (available as accessory)	35 I (available as accessory)	35 I (available as accessory)	50 l (available as accessory)	50 I (available as accessory)	50 l (available as accessory)
Recommended for areas of up to	150 sq. m	500 sq. m	600 sq. m	700 sq. m	800 sq. m	900 sq. m	1,000 sq. m
for areas of up to Packaged completely pre-assembled	0	0	•	•	•	•	0
Weight	2,4 kg	11 kg	21 kg	22 kg	26 kg	27 kg	33 kg

O Not standard **•** Standard The right to make technical amendments reserved

The steel tine roller thoroughly removes moss growing on the surface.







Grass catcher and open chute



Accesso BRILL g
BRIL

ssories:						
L grass catcher		for 30 VE and 32	2 VE	for 36 VE, 38 VE up	nd 40 VB	
	Art n	62073		62070		
EAN Code		e 40 09093 00101	40 09093 001013		40 09093 620702	
	Volum	e 35 l		501		
RILL blade reel	30	32	36	38	40	
Art no	62075	62076	62071	62072	62077	
EAN Code	40 09093 001129	40 09093 001136	40 09093 000863	40 09093 000870	40 09093 001143	

kompakt und Platz sparend

27

BRILL 24 V battery – 5 x power which lasts





BRILL Lawn Aerator ... provides the lawn with fresh air!

The unique 400 RLB **manual lawn aerator** from BRILL with a full power 24 volt battery provides the lawn with fresh air and with its additional sweeping function, it is a combi-tool with a practical double use.

It aerates the lawn by carefully freeing it from thatch and moss. The handy battery-powered tool reaches all corners. After completing the work on the lawn, you simply push the brushes on and sweep your path or terrace clean without any effort. The debris is collected in the container.

The absolute freedom in the garden BRILL battery 24 Volts

Power in the pack: BRILL power battery

With the BRILL battery range, amateur gardeners have the experience of absolute freedom of movement in the garden. The BRILL **compact battery** even makes them independent of the mains, especially in awkward areas. It is carried direct on the body with a shoulder strap and belt clip. That is comfortable and means that the user hardly feels the weight of the connected tools.

The high performance 24 Volts technology guarantees a long running time. It can be used as a powerful source of energy for up to 5 pieces of battery operated tools. The BRILL **power battery** is connected by a short spiral cable with a clip in plug. Just push it into the BRILL **power battery** and off you go.





Simple to combine

The battery and the batterypowered tools are all available individually. Only the **battery spindle mower** RazorCut Accu 38 is supplied as standard with a 24 Volt power battery. This does, however, also fit all other tools. In this way amateur gardeners can put together their individual equipment.

Art no with power battery	Ø
Art no	~
without power battery	
EAN Code	
with power battery	
EAN Code	
without power battery	Innund
Output/power	Volt (Ah)
Charging time	\bigcirc
Life span	₩
Connection system	-W-
Engine	5
Capacity with fully charged battery	\odot
Working width	< cm >
Housing	5
Technology	V
Handle bars	9
Lower handle	5
Safety	!
Weight approx.	Ť.
Packaging Qty	\mathbf{k}

7	B
	T
<u> </u>	g g

	BRILL RazorCut 38	BRILL battery lawn aerator 400 RLB
	65070	62111
		62110
	40 09093 001792	40 09093 001112
		40 09093 001099
Volt (Ah)	24 V	24 V
Ð	Approx. 18 – 24 hours	Approx. 18 – 24 hours
₩	Approx. 1,000 load cycles	Approx. 1,000 load cycles
	Spiral cable incl. battery clip	Spiral cable incl. battery clip
	24 V	24 V
Ě	Approx. 300 sq. m with fully charged battery	Approx. 40 min
<cm></cm>	38 cm	40 cm
	Steel sheet/plastic	Plastic
∅ ► 0 < - :	Electrically driven blade cylinder, 5 blades	2 aerator rollers with special spring steel tines
2	Ergonomically shaped with foam rubber handle	Aluminium fix
5		360° rotatable
!	Safety switch	
Ť.	11 kg	4.1 kg
V	1	2
Þ	Only available with battery and battery charger, grass box available as accessory	Double brush set and 4 l container, available with/without power battery and charger only, grass catcher available as accessory

O Not standard O Standard The right to make technical amendments reserved

Accessories:



Included in box

 Art Nr
 65041

 EAN
 40 09093 610628

 Material
 Woven nylon, reinforced with steel frame

 Weight
 1.5 kg





Steelline

mowers Hattrick mowers

Cylinder

Lawn scarifiers

24 V battery tools

Handy tools

Shredders

BRIL

Ideas for the Garden

BRILL 24 V battery – 5 x power which lasts

BRILL Gardenboy 400 GB



Art no with power battery	65032	65030	65029
Art no	65003	65002	65004
EAN Code with power battery	40 09093 610420	40 09093 610406	40 09093 610390
EAN Code without power battery	40 09093 650037	40 09093 650020	40 09093 650044
Output/power vol	Ah)	24 V	24 V
Charging time	Approx. 18 – 24 hours	Approx. 18 – 24 hours	Approx. 18 – 24 hours
Life span 🐰	Approx. 1,000 load cycles	Approx. 1,000 load cycles	Approx. 1,000 load cycles
Connection system	Spiral cable incl. battery clip	Spiral cable incl. battery clip	Spiral cable including battery clip
Engine	24 V	24 V	24 V
Capacity with fully charged battery	Approx. 60 min	Approx. 75 min	Approx. 40 min
Working width	42 cm bar length	24 cm bar length	
Cutting circle diameter	2		23 cm
Housing	> Plastic	Plastic	Plastic
Technology	Low vibration, hardened safety under- blade running in the opposite direction	Blade – hardened and laser-cut with special ground finish, safety under-blade	1.4 mm diameter cord length 6 m 1-cord techn. with automatic tip
Handle bars	>		Fixed
Lower handle	×		360° rotatable
Safety	Dual safety switch, fast blade stop under 0.5 sec	Impact protection on blade ends	
Weight approx.	3.7 kg	2.5 kg	2.8 kg
Packaging Qty	1	2	2
Included in box	Blade protector for storage, available with or without power battery and charger	Blade protector for storage, available with or without power battery and charger	Available with or without power battery and charger

O Not standard • Standard The right to make technical amendments reserved



The relaxing way to cultivate the soil

Weight approx.

Working depth

Safety







paring and looking after your beds. With its specially hardened steel prongs it scarifies the earth without mixing up the layer of humus in the top soil and the natural order of the useful micro-organisms. Thanks to its low weight and back-friendly ergonomic design the BRILL Gardenboy makes sure that the hard work required in looking after a garden becomes a pleasure. The BRILL Gardenboy - the innovative electic soil harrower for edge-trimming, scarifying, harrowing, loosening

and weeding.

universal garden tool for pre-

		BRILL Gardenboy 400 GB
Art no		65052
EAN Code		40 09093 001556
Output/power	kW (PS)	350 W
Engine	5	230 V
Working width	< cm >	Approx. 100 mm
Housing	5	High impact-resistant PA/ABS plastic
Technology	V	2 x 3 tines made of rolled carbon steel, oscillating rotation of approx. 90°, 550 movements back and forth per minute
Handle bars	9	Fixed
Lower handle	5	Infinitely adjustable and rotable

Hattrick mowers

Cylinder

Mechanic safety clutch as overload

protection

2.3 kg

80 mm

ŝ

BRILL Lawn edge trimmer



Iractors

Internet

Acces sori

Always with a beautiful edge



BRILL Lawn edge trimmers are an all-round tool for edges and corners, their services are required whenever grass grows out of control. For example, around fences and hedges, walls, tree trunks and other places

The rotating nylon cord with a high speed motor also produces a clean cut along beds and lawn edges. You have a choice of four different models to meet every demand.

where access is difficult.

		\int	~	70	0			brillencio evoluti
No.	2(RILL lawn edge trimmer	BRILL lawn edge trimmer 270 RT Tip	BRILL lawn edge trimmer 400 RT Duo-tip 75029	BRILL electric lawn edge trimmer 1000 FF 75046	BRILL battery lawn edge trimmer 270 ART 65004	BRILL lawn edge trimmer 270 ART + power battery 24 V	ers Steelline
Art no		5026	75027				65029	Mom
EAN Code		0 09093 502602	40 09093 502701	40 09093 502909	40 09093 610130	40 09093 650044	40 09093 610390	trick
Engine	2	30 V	230 V	230 V	230 V	24 V	24 V	Hat
Output/power	STT 20	00 W max. 12,000 rpm	270 W max. 12,000 rpm	400 W max. 12,000 rpm	1,000 W max. 8,500 rpm	24 V	24 V	wers
Power source						20 nickel-cadmium cells, each 1.2 V	20 nickel-cadmium cells, each 1.2 V	er mo
Charging time	Ē					Approx. 18 – 24 hours	Approx. 18 – 24 hours	/linde
Charge						Approx. 1,000 load cycles	Approx. 1,000 load cycles	ۍ م
Connection system	₩					Spiral cable incl. battery clip	Spiral cable incl. battery clip	irifie
Capacity with a	-WV-					Approx. 40 min	Approx. 40 min	/n sca
full battery Cutting circle diameter	() 2 ²	3 cm	23 cm	27 cm	35 cm	23 cm	23 cm	Law
Housing	PI	lastic	Plastic	Plastic	Plastic	Plastic	Plastic	24 V battery tools Lawn scarifiers Cylinder mowers Hattrick mowers
Line thickness		.4 mm diameter, cord		1.6 mm diameter, cord length	2.0 mm diameter, cord length	1.4 mm diameter, cord length	1.4 mm diameter, cord length	attery
Line adjustment		ength 6 m, 1-cord system utomatic tip	6 m, 1-cord system Automatic tip	2 x 3 m, 2-cord system Automatic tip	6.2 m, 2-cord system Automatic tip	6 m, 1-cord system Automatic tip	6 m, 1-cord system Automatic tip	4 V bi
Shaft	PI	lastic	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	
Upper handle	🗢 Fi	ixed	Fixed	Adjustable up to 10 cm	Fixed	Fixed	Fixed	tool
Lower handle	🔨 Fi	ixed	360° rotating	360° rotating	Height-adjustable, rotating	360° rotating	360° rotating	Handy tools
Cutter head	• Fi	ixed	Fixed	Tilt 45°	360°, with vibration damping Fixed			Ŧ
Safety					Integrated cable release,			2
Weight	1	.5 kg	1.9 kg	3.0 kg	Switch on lock, shoulder strap 4.5 kg	1.4 kg	2.8 kg	Shredders
Noise level		4 dB(A)	93 dB(A)	94 dB(A)	96 dB(A)	0	0	Shr
	10 100		. ,	. ,	. ,	2	2	
Packaging Qty	¥ 4		2	2	1	2	2	2

Accesso	ories:	Replacement cassette for 200 RT	Replacement cassette for 270 RT and 270 ART	Replacement cassette for 400 RT	Replacement cassette for 1000 EF
Art no		75060	75060	75062	75045
EAN Code		40 09093 506006	40 09093 506006	40 09093 506204	40 09093 504507
Packaging Qty	V	2 / SB-packaging, packed in = 10	2 / SB-packaging, packed in = 10	2 / SB-packaging, packed in = 10	2 / SB-packaging, packed in = 5
Cord length	6	6 m	6 m	3 m	6.2 m










Hattrick

Cylinder

24 V battery tools



hardened safety blades.

All the models are balanced so that they feel comfortably in the user's hand and the three-sided handle is easy to operate.



with fully charged battery with fully charged battery

BRILL

Ideas for the Garden



from below.

is drawn in by the rotating cutting wheel.



The indexing bolt guarantees safety. It prevents the unit starting on its ow when undertaking relatively small pieces of assembly work

Crush tree cuttings...



74001

230 V

2,000 W

2,800 rpm

Crown cutter,

Up to 5 cm Ø

triangular cutter

125 | collector bag

43 kg

0

.

40 09093 001662



BRILL safety shredder

40 09093 805505

2300 ESK

78055

230 V

2,300 W

40 rpm

Up to 4 cm Ø

64 | collector box

35.2 kg

.

.

Steelline

Ē
Internet

Easily accessible cutting mechanism with directly driven flat cutter plate, crown knife and triangular cutters with three cutting edges.

BRILL Roller shredder

40 09093 739831

High quality, hardened steel

.

0

2300 LH

73983

230 V

2,300 W

40 rpm

24 kg

Up to 4 cm Ø

EAN Code 40 09093 001167

into valuable shredded material the shredder material is broken up in no time at all.

The starter As a powerful starter model. flat blade technology.

BRILL shredders turn hedge

trimmings and tree cuttings

The power models

Innovative cutting techniques to use.

by crushing and cutting, enabling it to rot more easily. The collecting box fulfils an important additional function in the MH model is a real fast-runner the 2000 ESK and 2300 ESK models: and works with the well proven it is not only storage space for the shredded materials but it also forms a safety factor because it protects the discharge opening from access. Therefore, no-one can especially make the LH and ESK accidentally reach into the cutting models quiet and especially easy mechanism from underneath while it is operating. If the box is removed, the unit switches off immediately. The long distance between the filling hopper and the blade mechanism forms an additional safety factor in the 2300 ESK.

BRILL LH and ESK garden shredders

With the LH and ESK models.

BRILL ProfiCut 2800 MH

0

2200 MH

40 09093 000948

74000

230 V

2,200 W

2,800 rpm

1 flat blade

21 kg

Up to 3.5 cm Ø

Art no

Engine

Power

Capacity

with self feed Safety bolt

from below Collector box

Weight

Access protection from above Access protection

Transport wheels

Rotational speed

of shredding mechanism Shredding mechanism

Cutting-crushing tech.

EAN Code

This powerful universal shredder represents an energetic helper in the garden. Fitted with a 2.0 kW motor and a unique cutting mechanism, it chops up branches with a thickness of up to 5 cm without any problem. Safety is ensured by the large filling hopper with chips/slivers protection system as well as the automatic start-up safeguard. Its two large wheels allow the shredder to be transported easily.



spare cutter and operating instructions is very practical.

74002

400 V

2,000 W

2,800 rpm

Crown cutter,

Up to 5 cm Ø

triangular cutter

125 | collector bag

45 kg

0

.

40 09093 001679



Accessory:

36

37

BRILL Lawn tractors – fun to drive in the garden





Comfortable mowing of large areas

38

Optimized in respect of function and design, BRILL's lawn tractors now offer even more convenience and performance. The new **Crossover** models have powerful engines and are optional equipped with hydrostatic travel drive, electric emptying of the grass box per rocker switch and an electromagnetic clutch for the cutter which enables the blade to be switched on in a simple manner. With cutting widths of 74, 92 and 102 cm the range permits even large lawns to be mown comfortably and rapidly. The 92 and larger models have an asynchronous cutting mechanism with two suction-reinforced wing blades and ballbearing-mounted V-belts. The 13 to 20 HP Briggs & Stratton or Honda engines ensure a high mowing performance. The extra large tyres on the 102 series mower give more driver comfort especially on difficult terrains.



Turning circle

Weight

185 cm

202 kg

Smooth running Tractors with hydrostatic travel drive can be manoeuvred without jerks and steplessly per pedal.



Well lit The standard fitting out with xenon lamps means that the ambient surroundings are well illuminated.



seat.

185 cm

203 kg

O Not standard O Standard The right to make technical amendments reserved

Convenient to operate The central cutting height adjustment device is positioned directly next to the driver's

The lawn needs a great deal of moisture in the summer to prevent it drying out. Mulching proves to be extremely practical and effective, especially on large gardens. For the fine grass cuttings provide the

The BRILL Mulch System

lawn with moisture and fertiliser at the same time, in addition there is no need for any waste disposal.

nte

39

Steelline

Hattrick mowers

ers

Cylinder

24 V battery tools

tools Handy

BRILL

BRILL Lawn tractors – fun to drive in the garden





The BRILL Honda lawn tractors are equipped with a very efficient engine. They start easily, run smoothly and quietly and keep a clean cut even when mowing thick lawns.



POWERED by Honda Engines



POWERED by Honda Engines



evolution

Steelline

Hattrick mowers

mowers

Cylinder

24 V battery tools Lawn scarifiers

tools

Handy 1

Shredders

Inte

nen mowing thick lawns.							
		BRILL Crossover 92	/13 BRILL Crossover 92/13 H	BRILL Crossover 92/16 H OHV	BRILL Crossover 102/15	BRILL Crossover 102/16 H OHV	BRILL Crossover 102/20 HE
	Art no	65055	65056	65057	65058	65060	65059
	EAN Code	40 09093 001709	40 09093 001716	40 09093 001723	40 09093 001730	40 09093 001754	40 09093 001747
	Engine	Briggs & Stratton	Briggs & Stratton I/C 13 HP OHV AVS	Honda GCV 520 I/C 16 HP OHV	Briggs & Stratton Intek 14.5 HP OHV AVS	Honda GCV 530 16 HP OHV	Briggs & Stratton Intek 20 HP OHV V2
	Max. power/output	4W 9.6 kW, 13 HP (PS)	9.6 kW, 13 HP	11.8 kW, 16 HP	10.7 kW, 14,5 HP	11.8 kW, 16 HP	14.5 kW, 20 HP
	Cutting width	<pre> 92 cm (2 blades) </pre>	92 cm (2 blades)	92 cm (2 blades)	102 cm (2 blades)	102 cm (2 blades)	102 cm (2 blades)
LL quick release coupling with drive	Height adjustment, cutting height	6 settings, 30 – 90 mm	6 settings, 30 – 90 mm	6 settings, 30 – 90 mm			
Art no 78973 Code 40 09093 897302	Gear changing	5 fwd/1 reverse	Foot-operated Hydrostat	Foot-operated Hydrostat	5 fwd/1 reverse	Foot-operated Hydrostat	Foot-operated Hydrostat
sory for front sweeping machine and snow- ng panel	Blade coupling	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
L quick release coupling without drive Art no 78977	Wheel size	Front: 13 x 6.5 - 6 Rear: 18 x 8.5 - 8	Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8	Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8	Front: 15 x 6.0 – 6 Rear: 18 x 8.5 – 8	Front: 15 x 6.0 – 6 Rear: 18 x 8.5 – 8	Front: 15 x 6.0 – 6 Rear: 18 x 8.5 – 8
Code 40 09093 897708 sory for snow-clearing panel	Capacity	4,000 sq. m/h	4,000 sq. m/h	4,500 sq. m/h	5,500 sq. m/h	6,000 sq. m/h	7,000 sq. m/h
LL driving set for mechanic le coupling	Grass box	3001	300	300	300 I	300 I	300 I
rt no 78985 Code 40 09093 001860	Emptying of grass box from the driver's seat	Supported by pneu	Supported by pneumatic spring	Supported by pneumatic spring	Supported by pneumatic spring	Supported by pneumatic spring	Electric
sory for front sweeping machine	Dimensions (L x W x H)	2,610 × 1,040 × 1,1	20 mm 2,610 x 1,040 x 1,120 mm	2,610 x 1,040 x 1,120 mm	2,610 x 1,090 x 1,120 mm	2,610 x 1,090 x 1,120 mm	2,610 x 1,090 x 1,120 mm
LL driving set for electromagnetic le coupling Art no 78986	Turning circle	190 cm	190 cm	190 cm	160 cm	160 cm	160 cm
Art no 78986 I Code 40 09093 001877	Weight	209 kg	210 kg	220 kg	213 kg	223 kg	233 kg

O Not standard • Standard The right to make technical amendments reserved





Art no 7870

EAN Code 40 09093 610536

reinforced guide

Pan Steel

Loading aperture Steel, removable,

Load weight max. 292.5 kg

Dimensions 108 x 82 x 30 cm

EAN Code 40 09093 001938

EAN Code 40 09093 001891

cut grass from the lawn

Collecting capacity 2701

Load-holding area 293 l

Trailer coupling required as accessory



Trailer coupling required as accessory



Wheels Plastic 7"x 1.75"

Weight Approx. 27 kg



BRILL – all the spares you need

Ideas for the Garden









You will find the complete BRILL product range on our website **www.brill.de**

BRILL

deen für den Garter

